State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-230 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515, and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Chrysler Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: NCR3.0T5FFV8 Displacement: 3.0 Liters (181 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Heated Oxygen Sensor Three-Way Catalyst

Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

Loaded Vehicle <u>Weight (1bs.)</u>	<u>Hydrocarbons</u>	Carbon Monoxide	Nitrogen Oxides	
0-3750	0.39	9.0	0.7	
3751-5750	0.50	9.0	1.0	

The certification emission values for this engine family in grams per mile are as follows:

Loaded Vehicle Weight (lbs.)	Hydrocarbons	<u>Carbon Monoxide</u>	Nitrogen Oxides
0-3750	0.24	0.9	0.2
3751-5750	0.21	0.9	0.3

BE IT FURTHER RESOLVED: That the listed models in the 0-3750 pound loaded vehicle weight class are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Code of Regulations which includes recall liability up to 7 years or 75,000 miles for emission control components if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard based on the latest projected sales of 1991 model California-certified light-duty trucks and medium-duty vehicles in the 0-3750 pound loaded vehicle weight class and limited by the total actual sales of these 1991 model California-certified vehicles.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _____ da

__ day of June, 1991.

R. B. Summerfield Assistant Division Chief

Mobile Source Division

	Manufact	urer CHRYSLER	CORPORA	TION		Engine Family	NCR3.OT	SFFV8
	Pass Car	sLt-Duty	Trucks_	X Med-	Duty V	ehiclesI	uel Type <u> </u>	Gasoline
	Engine T	ype <u>V/6</u> Liter	(CID) <u>3</u>	.0 (181	<u> </u>	vaporative Fa	mily_NCRI	0.0
	Emission (Use abb	Control Sys. reviations per	& Special	al Featur 930 June:	res	TWC, HO2S, MP	1	
	Engine:	Front $oxdot{X}$ Mid	Rear_	Dr	ive:	FWD <u>X</u> RWD	_ 4WD-FT	_ 4WD-PT
	Eng. Code/ (Cert. Std.)	(If Coded see	Trans. Type: A-Auto M-Man.	Veh.		Ign.Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
0.39/9.		SKE12	A40D	3625	S E	4639508	N.A.	4427682
0.50/9.	0/1.0	SHL52,SKL52, SHH52,SKH52		3875	E A T			
		SHP52,SKP52		4000	T A C H			
0.39/9. 0.50/9.		SKE12	A3	3625	M E N			
		SKL52, SHL52, SHH52, SKH52, SKP52, SHP52		3875	T			
		SKE13		3750				
		SHH53,SKH53		4000				
		SHP53,SKP53		4200				

ATTACHMENT TO SDS PG. 1 OF EXECUTIVE ORDER A-9-230

VEHICLE MODELS/CARLINE

Engine/Evap:

NCR3.0T5FFV8 / NCRTC

Exhaust Control System: TWC, HO2S, MPI
Evap. Control System: Canister
Engine Displacement: 3.0L

Carline		Model Code
PLYMOUTH PLYMOUTH PLYMOUTH DODGE DODGE DODGE DODGE DODGE	VOYAGER VOYAGER VOYAGER CARAVAN CARAVAN CARAVAN CARAVAN CARAVAN	ASHH52 ASHL52 ASHP52 ASKE12 ASKH52 ASKL52 ASKL52 ASKP52 ASKP53
PLYMOUTH	VOYAGER	ASKE13 ASHH53 ASHP53